



REWARD FAQ

HOW TO PERFORM A SILENT INSTALLATION OF REWARD 2.8

1. The ReWaRD 2.8 setup program (ReWaRD28Setup.exe) installs the program and its associated libraries and files in ReWaRD's program-files folder:
 - on 64-bit Windows: C:\Program Files (x86)\Geocentrix\ReWaRD\2.8
 - on 32-bit Windows: C:\Program Files\Geocentrix\ReWaRD\2.8
2. Configuration files are installed/stored in ReWaRD's program-data folder:
 - on Windows Vista or later: C:\ProgramData\Geocentrix\ReWaRD\2.8
 - on Windows XP: replace C:\ProgramData with C:\Documents and Settings\All Users\Application Data
3. Shared documents (e.g. tutorials) are installed in Repute's documents folder:
 - on Windows Vista or later: C:\Users\Public\Documents\Geocentrix\ReWaRD\2.8
 - on Windows XP: replace C:\Users\Public\Documents with C:\Documents and Settings\All Users\Documents
4. From a command line window, enter:

ReWaRD28Setup.exe /s

5. The setup program also accepts additional command line flags, as follows:
 - /l=<logfile.txt> (write a log file)
 - /k=<password> (if password protected)
 - <variable1>=<value1> [<variable2>=<value2> ...] (specify value of variable)
6. To complete the silent installation, copy the following files from the ProgramData folder of a working installation of ReWaRD to the ProgramData folder of the new installation:
 - ReWaRD2.lic (licence file, in XML format)
 - ReWaRD2.cfg (configuration file, in XML format)
 - The contents of these files should not be changed without guidance from Geocentrix
7. To uninstall ReWaRD 2.8 silently, enter the following in a command line window:

ReWaRD28Setup.exe MODIFY=FALSE REMOVE=TRUE UNINSTALL=YES
8. For further help, please contact Technical Support at:

support@geocentrix.co.uk